NEWSLETTER April 2008

Hello Pullers and families,

We are off to another exciting year, I hope all is well with you, your family and your favorite pulling machine...

I have enclosed a current pulling schedule, 2008 rules changes and club info.. Please read over everything very carefully. If you have any questions, please call Nancy at 920-565-2318 or Gary at 608-524-3533. Gary is getting more information and new contracts every day. If your are working on contracts get them to Gary ASAP. (Only pulls with contracts, are on the schedule)

It is an exciting year. We have added 2 classes: 6500# Natural Super Stock Tractors Class(NSS), and 2 Wheel Drive class and made a change to Modified Tractors Multi-Engine Class (MT)

If you are missing your passes, rulebook or newsletter's, call Nancy Sixel. You may still send your dues to Nancy Sixel. (This is preferred) 1205 College Ave. Howards Grove, WI 53083 or to Gary Schyvinch E7820 South Ave Reedsburg WI, 53959 / \$150.00 per puller, \$50.00 per alternate driver and \$50.00 per associate member. Only one person per application.

All members must have a signed application on record before they pull (for insurance purposes) or they will be disqualified. If you are not sure, call Nancy or Gary. If you have no passes, this could be the reason.

Ben Raboine has been updating the web page, (Did you see the pictures from the banquet?) The web page is www.pipullers.com . The rulebook, pulling schedule, results and the newsletter will be posted on the web page. Tell everyone you see. All updates will be on the web as they happen. You can also send in info and pictures to Ben. He loves pictures.

Banquet is planned for January 10, 2009 at Antiqua Bay, Wisc. Dells 1-608-254-8306. More info coming. If you were at the January banquet and charged the room to your credit card, double check if you were double billed.

New this year, Trina Giese will be writing checks for all winners in all classes. As in years before, the results were not being turned in, some first in December, which would delay: pay out, result updates to the web, point standings and final standing. So this year, this is something new we will be trying. If Trina happens to be at a pull, you can ask her if she has the previous weeks payout. We do not expect her to pay out that night. There is a line of command that needs to be taken before any checks are wrote out. All board members are now responsible to get the results after the pull. They in turn will get it to Trina. The board is also responsible to get the check from the organization holding the pull. Once the check is received, Trina will be told by a board member to write out the checks. Trina will then either send out the checks or hold them until the following weekend if she will be at a pull . She will also send a result copy of the results to Gary Schyvinch and Nancy Sixel. Nancy in turn, will update the points and get the results to Ben for the web page. Hopefully, this will work.

Attention 2WD- Keep May 23 open for tech day at Jim Becker's Shop. Starts at 10 am 103 Maple Street, Baraboo, WI. Any questions, call Jim at 608-434-0325

<u>CONTACTS:</u> BOARD MEMBERS		TECH OFF	ICIALS				
PRESIDENT:GARY SCHYVINCH	608-524-3533	S.S. Trucks	-Jeff Rivers	920-622-3114			
MOBIL	608-963-5308		Travis Schmidt	920-251-7999			
V President: Scott Kieckbusch	920-388-3406		John Hollatz	920-570-5010			
MOBIL	920-255-1207	M4 Trucks-	Jaret Seeger	414-531-8447			
MEMBERS: Scott Kiechbusch (SS)	920-388-3406		Fritz Luedke	262-949-9814			
MOBIL	920-255-1207		Paul Ferris	262-255-4369			
MEMBERS: Dave Affeldt (M4)			Fred Dieball	262-366-4402			
MOBIL	920-210-2160	SA Trucks-	Jeff Peterson	920-517-2263			
MEMBERS: Dave Wollerman(SA)	920-923-4168		Dick Guderski	920-291-8090			
MOBIL	920-517-4170	SF Tractors	Wally Weise	414-303-9406			
MEMBERS: Wally Weise (SF)	262-691-0828		Mark Stuckmann	920-980-1282			
MOBIL	414-303-9406		Mark Schulz	414-507-8894			
MEMBERS: Scott Zirzow (HF)	608-355-0194	HF Tractors	John Barthels	920-948-6262			
MOBIL	608-963-3881		Scott Kobussen	920-213-6305			
MEMBERS: JACK ZIMMERMANN(MT)	262-835-4475		Jim Gonnering	920-470-7648			
MOBIL	262-960-2618	Semi	Steve Sterwald	920-688-1611			
MEMBERS:Dale Buchholtz (SI)	715-256-1705		Lee Provacheck	920-621-9037			
MOBIL	612-802-3779	Mod.Tracto	rs Jack Zimmerma	n 262-835-4475			
MEMBERS:Gary Connor (2WD)	608-544-5152	2WD Truck	s Don Morrison	608-553-1712			
MOBIL	608-393-9491		Paul Flynn	608-712-6646			
MEMBERS:Matt Larsen (NSS)	608-963-6470	NSS Tracto	rsMark Folkedahl	608-487-1156			
Tech Officials Mark Hamm	715-258-5222						
Budd Post	414-640-8076						
PI Web Page www.pipullers.com Ben Raboine							
PI Web Page Results: Nancy Sixel (phone or fax)920-565-2318 or cell 920-980-9172							
Registration :Nancy Sixel (phone or fax)920-565-2318 or cell 920-980-9172							
Newsletter:Nancy Sixel (phone or fax)920-565-2318 or cell 920-980-9172							
Payout: Trina Giese 920-398-1687	7						
•							

Note: Tech decals are to be put on lower right windshield on trucks and right side of tractor.

NEW RULE CHANGES FOR 2008 PULLING SEASON.

General Section

- 1. Page 3 #12 Clarifiy : at start of show. There will be a \$20.00 late charge if you show up after the start of show unless you notify one of the board members that you will be late.
- 54. Page 10 #54 Delete from general-move to M4,SS & SA Hold up mounting on bottom side of pulling hitch must be no more than a maximum of six inches from hook point.

Super Stock Trucks

- 1.Page 12Engine#4change
- Headers and open exhaust allowed to run upright or toward rear of truck parallel to frame.
- 2. Page 12 Engine #7 Delete
- No upright or vertical exhaust headers.
- 3. Page 12 Engine #16 addition
- On pressure side of fuel system, must have braided line.
- 4. Page 14 Tires #3 delete Tires limited to size 18" tread width & 35" high.
- 5. Page 14 Hitch #5 addition
- Trucks where drawbar height adjuster link is attached to rear differential housing, the attaching point must be at axle center line or below. The drawbar adjuster can not attach to anything above centerline of the rear axle. The adjuster can only go down and forward.
- 6. Page 14 Hitch #6 addition Hold up mounting on bottom side of pulling hitch must be no more than a maximum of six inches from hook point.

Modified 4 x 4 Trucks

1 Page 15 Body #14 addition No airline controls to driver compartment.

Street Altered Trucks

- Page 19 Body #1 addition Any year full size steel body on any OEM frame. No stripping of trucks: boxes, wheel wells, interior doors, windshield, windows must be intact.
- 2. Page 19 Engine #6 change Any single carburetor with 4150 base. (Joe Prellwitz 3 year grandfather) Cast iron/aluminum intake manifold is allowed. No tunnel rams or Pro rams, ect.
- 3. Page 19 Engine #9 add Engine location to be no less than 14" from center of front axle to rear of engine block.
- 4. Page 19 Drive #1 addition Block must be bolted and removable.
- 4. Page 20 Hitch #4 change No part of hitch angle shall be more than 30 degrees. Rear hitch support can go up or down. If up, it must be as vertical as possible. If down, it must be below center of rear axle.
- 5. Page 20 Hitch #6 addition Hold up mounting on bottom side of pulling hitch must be no more than a maximum of six inches from hook point.
- 5. Page 20 Tires #4 addition Machine sipped tires allowed.

Modified Tractors to be Modified Tractors Multi-Engine

- 1. See MTME Attachment.
- 2. Joe Mc Closkey, one year grandfather.
- 3. Weight #7500 max.

Super Farm Tractors

1.	Page 24	Engine	#3	change	
	No aftermark	et exhaust will be	used on OE	EM cylinder l	neads. They must have casting numbers.
	PPL Rule: In	take manifold max	imum inlet	side of 3.75	measured on the outside diameter. One inlet pipe allowed.
	One year tria	l base on PPL intal	ke manifold	l rule.	
2	Daga 25	Missallanaou	. #1	ahanga	

2. Page 25 Miscellaneous #1 change Weight will be on a one year trial base.

Hot Farm Tractors

- 1. Page 26 Body #1 change
- Stock appearing tractors- frame, front axle, chassis, fenders and sheet metal.
- 2.Page 26Body#2change
- Steel flywheel or safety blanket required.
- 3. Page 26 Body #5 addition Wheelbase is to be a max distance of 114" from center of rear axle to center of front axle.
- Overall length not to exceed 13' from center of rear axle to furthest point forward(Not including to hook)
- 4 Page 26 Body #6 addition No rack and pinion steering.
- 5 Page 26 Body #7 addition
- No tube frames.
- 6. Page 26 Engine #5 change

Stock head, block, intake and exhaust manifolds for that model engine or series engine.

- 7. Page 26 Engine #11 delete One turbo charger.
- Page 26 Engine #11 Replacement Only one turbo charger allowed. Inlet side to be no larger than 2.75 at the face of the intake wheel. No slugs allowed on inlet side of the turbo charger. Intake wheel must protrude into housing.
- 9. Page 26 Engine #17. change Inner coolers may not be functional.

Street Stock Semis

1. Page 28 Engine #4 addition Power programmer to OEM-ECM allowed.

6500 Natural Super Stock Tractors (NSS)

1. New Class

Two-wheel Drive (2 WD)

1. New Class